



Configuration Note: Action on incoming call

Date	Version	Remarks
2014-09-27	1.0	Initial Version

E-Tel-IT GmbH Hauptstrasse 51 CH-4455 Zunzgen http://www.lyncwizard.com



Configure Actions on incoming call

Configure

First of all, you have to enable the "Actions" Feature:

LyncWizard Configuration ×										
LyncWizard Configuration										
General	Contact Lookup	Busy Calls	Hotkey Dialer	Actions	License					
✓ Enable Actions on incoming call										
Edit Actions										
O	C C	ancel								

Then you can create the Action-Rules by clicking on the button "Edit Actions":

Action Items					
Actio	n Items				
Order	Value	RegExp	Туре	Command/URL	Arguments
10	contact	^\+417[6-9]\d*	URL	http://tel.search.ch/?was={0}	
20	contact	^\+41\d*	URL	http://tel.local.ch/de/q	what={0}
30	contact	tact [-0-9a-zA-Z.+_]+@[-0-9a-zA-Z.+_]+\.[a-z/ Command Lin/ notepad.exe		notepad.exe	{0}
C	DK	Cancel			

The column "Order" defines in which order the rules will be checked. If a rule matches, no further rule will be executed. If you want to reorder, you can change the value. To move the last rule between the first and second, change the order value 30 to a value between 11 and 19. The next time, you open the windows, the rules are renumbered but in the new order.

The column "Value" must be "contact". This field will be used in further versions of Lync Wizard.

The column "RegExp" must contain a valid Regular Expression. In the screen shot above, the first rules checks about a Swiss mobile phone number, the second checks about all other Swiss phone numbers. The last rule checks about a SIP-Address.

The column "Type" can be "URL", if you want to open an URL or "Command Line" if you want to start an application.

The column "Command/URL" have to contain the URL or the executable. In case of URL, you can add the argument directly in the URL (first rule) or in the column "Arguments". In fact, the value in the URL field and the Arguments field will be concatenated with an "?" char.

For commands you have to enter only the executable with its path, but without arguments. All arguments have to be entered in the "Arguments" column.

The column "Arguments" contains the URL or command line arguments. The Expression {0} will be replaced by the phone number or SIP-Address.

Debuging:

To check/debug the function, activate the debug logging on the "General" tab:



Lync Wizard creates in your temp Directory a file "LyncWizard.log" with a lot of useful information for analyzing. You can open it with Notepad.